


## Measuring Tapes


All Measuring Tapes: width: 13 mm: with 2 measures start „C“ (Standard)

**optional measurement commencements:**


**Massanfang A**



**Massanfang B**



**Massanfang C**



**A:** Measurement commencement approx. 10 cm after end fitting

**B:** Measurement commencement at front fitting edge

**C:** Measurement commencement at front ring edge

### WEISS brand Measuring Tapes

in steel case with artificial leather coating, metal axle at the crank lever's core ensures long term use



#### Fibreglass white

Art. No. cm/inch	Art. No. mm/inch	length (m)
287 GL/5	287 GLM/5	5
287 GL/10	287 GLM/10	10
287 GL/15	287 GLM/15	15
287 GL/20	287 GLM/20	20
287 GL/25	287 GLM/25	25
287 GL/30	287 GLM/30	30

#### Steel white enamelled

Art. No. cm/inch	Art. No. mm/inch	length (m)
208 WE/5	208 WEM/5	5
208 WE/10	208 WEM/10	10
208 WE/15	208 WEM/15	15
208 WE/20	208 WEM/20	20
208 WE/25	208 WEM/25	25
208 WE/30	208 WEM/30	30

#### Steel yellow enamelled

Art. No. cm/inch	Art. No. mm/inch	length (m)
287 GE/5	287 GEM/5	5
287 GE/10	287 GEM/10	10
287 GE/15	287 GEM/15	15
287 GE/20	287 GEM/20	20
287 GE/25	287 GEM/25	25
287 GE/30	287 GEM/30	30

### Plumb Bobs

#### BOB No. 1


brass, cylindrical, flattened on two sides, 70 mm long, Ø 25 mm, graduations: mm/-, mm/mm, mm/inch, weight 240 g

#### BOB No. 2

brass, cylindrical, 120 mm long, Ø 20 mm, without graduation, weight 260 g

#### BOB No. 3

brass, cylindrical, flattened on two sides, 170 mm long, Ø 25 mm, graduation: mm/-, mm/mm, mm/inch, weight 470 g




## Measuring Tapes



### WEISS brand Measuring Tapes - TYPE 600 angular


white enamelled steeltape, with black plastic handle and steel nickel plated crank, on anodized aluminium frame, graduation cm/inch



Art. No. cm/inch	length (m)
621 WE/15	15
621 WE/20	20
621 WE/25	25
621 WE/30	30
621 WE/40	40
621 WE/50	50

### WEISS brand Measuring Tapes - TYPE 700 - straight

white enamelled steel tape, with black plastic handle and steel nickel plated crank, on anodized aluminium frame, graduation cm/inch



Art. No. cm/inch	length (m)
721 WE/15	15
721 WE/20	20
721 WE/25	25
721 WE/30	30
721 WE/40	40
721 WE/50	50

### WEISS brand Measuring Tapes - TYPE 800 straight


white enamelled steel tape, with black plastic handle and steel nickel plated crank, on anodized aluminium triangle frame, graduation cm/inch



Art. No. cm/inch	length (m)
821 WE/20	20
821 WE/25	25
821 WE/30	30
821 WE/40	40
821 WE/50	50
821 WE/100	100

### WEISS brand Measuring Tapes - TYPE 900 angular

white enamelled steel tape, with black plastic handle and steel nickel plated crank, on anodized aluminium triangle frame, graduation cm/inch



Art. No. cm/inch	length (m)
921 WE/20	20
921 WE/25	25
921 WE/30	30
921 WE/40	40
921 WE/50	50
921 WE/100	100

# Measuring Tapes



All Measuring Tapes: width: 13 mm: with 2 measures start „L“ (bob connection)

## Weight 11

brass, cylindrical, no graduation, length 190 mm, Ø 24 mm, weight 500 g (can be removed from the tape)


Art. No. 340 00 11



## Weight 10

brass, cylindrical, engraved mm scale on one side and inch scale on other side, length 89 mm, dia. 24 mm, weight 300 g (can be removed from the tape)

Art. No. 340 02 10



## BMI brand Measuring Tapes - straight

13 mm, with black plastic handle and steel nickel plated crank, on anodized aluminium triangle frame

available in

- Fibreglass yellow
- Steel white enamelled
- High etched Carbon Steel black
- High etched Stainless Steel enamelled



### Fibreglass yellow

Art. No. cm/inch	Art. No. mm/inch	length (m)
505213010A	505215010A	10
505213015A	505215015A	15
505213020A	505215020A	20
505213025A	505215025A	25
505213030A	505215030A	30
505213050A	505215050A	50

### Steel white enamelled

Art. No. cm/inch	Art. No. mm/inch	length (m)
501213010A	501215010A	10
501213015A	501215015A	15
501213020A	501215020A	20
501223025A	501225025A	25
501223030A	501225030A	30
501233050A	501235050A	50

### High etched Carbon Steel black

Art. No. cm/inch	Art. No. mm/inch	length (m)
511313010A	511315010L	10
511313015A	511315015A	15
511313020A	511315020A	20
511313025A	511315025A	25
511313030A	511315030A	30
511313050A	511325050A	50

### High etched Stainless Steel enamelled

Art. No. cm/inch	Art. No. mm/inch	length (m)
509213010A	509215010A	10
509213015A	509215015A	15
509213020A	509215020A	20
509223025A	509225025A	25
509223030A	509225030A	30
509233050A	509235050A	50



## Measuring Tapes



### BMI brand Steel Measuring Tapes

white enamelled, on anodized aluminium frame,  
with black plastic handle



Art. No. cm/inch	Art. No. mm/inch	length (m)
501013010C	501015010C	10
501013015C	501015015C	15
501013020C	501015020C	20
501013025C	501015025C	25
501013030C	501015030C	30
501013050C	501015050C	50

### BMI brand Steel Measuring Tapes

white enamelled, on anodized aluminium triangle frame,  
with black plastic handle



Art. No. cm/inch	Art. No. mm/inch	length (m)
501033050C	501035050C	50
501043100C	501045100C	100

### BMI brand Measuring Tapes

RADIUS case series

Ergonomically shaped case with large crank arm  
and park position for commencement ring. Slide bearing shells  
for highest winding comfort. with easy grip soft-touch surface.

#### Fibreglass yellow

Art. No. mm/inch	length (m)
520215010A or C	10
520215015A or C	15
520215020A or C	20
520215025A or C	25
520215030A or C	30
520215050A or C	50

#### Steel white enamelled

Art. No. mm/inch	length (m)
501215010A or C	10
501215015A or C	15
501215020A or C	20
501225025A or C	25
501225030A or C	30
501235050A or C	50

