

Lifting Equipment

Mechanical Rack Jacks

with safety crank,
blue lacquered



Art. No.	capacity (ton)
15-00/2.5	2.5
15-00/5	5.0
15-01/10	10
15-01/16	16
Z23	20

Rope Hoist Type 30

blue lacquered, incl.
steel rope with hook
(packed separately)



Art. No.	capacity (ton)	rope length (m)
30-10/20	0.8	20
30-10/40	0.8	40
30-10	-	w/o rope
30-00/20	1.6	20
30-00/40	1.6	40
30-00	-	w/o rope
30-11/20	3.2	20
30-11/40	3.2	40
30-11	-	w/o rope



Lever Jacks

with link chain
Type „RZC“,
1.5 m lifting



Art. No.	capacity (ton)
RZC0.8	0.8
RZC1.6	1.6
RZC3.2	3.2
RZC5.0	5.0



Pioneer Pipe Vice Stand

Universal stand-mounted steel pipe vice with hardened steel jaws, stable floor, easily transportable and ready set up and varnished body, red colour

range: 1/4" - 3"


Art. No. **Pioneer 03**



THIELE Brand Steel Chains Grade 80

class 8, made of alloy steel, acc. to German standard DIN 5687-8, elongation at break-point 17%, black coloured, goods are packed in drums, with test certificate

Art. No.	working load (ton)	trade size (mm)
F01465	2.0	8-8
F01470	3.15	10-8
F01475	5.3	13-8
F01480	8.0	16-8
F01485	10.0	18-8
F01490	12.5	20-8
F01500	15.0	22-8
F01515	21.2	26-8
F01525	31.5	32-8



Lifting Equipment


**Oblong Master Links
TWN 0831**

for single leg slings, red



Art. No.	working load (ton)	D (mm)	trade size(mm)
F12008	1.12	13	6-8
F12012	2.00	16	8-8
F12018	3.15	18	10-8
F12034	5.3	22	13-8
F12052	8.0	26	16-8
F12094	10.0	32	18-8
F12116	12.5	36	20-8
F12120	15.0	36	22-8
F12168	21.2	45	26-8
F12172	25.0	45	28-8
F12198	31.5	50	32-8
F12226	40.0	56	36-8
F12244	50.0	63	40-8

**Oblong Master Links
TWN 0832**

for double leg slings, red



Art. No.	working load (ton)	D (mm)	trade size(mm)
F12014	1.6	13	6-8
F12020	2.8	18	8-8
F12036	4.25	22	10-8
F12054	7.5	26	13-8
F12096	11.2	32	16-8
F12118	14.0	36	18-8
F12152	17.0	40	20-8
F12170	21.2	45	22-8
F12200	30.0	50	26-8
F12202	33.5	50	28-8
F12228	45.0	56	32-8
F12246	56.0	63	36-8
F12250	71.0	71	40-8

**Master Link Assemblies
TWN 0831**

for 3- and 4-leg slings, red



Art. No.	working load (ton)	D (mm)	trade size(mm)
F12342	2.36	18	6-8
F12354	4.25	22	8-8
F12362	6.7	26	10-8
F12398	11.2	32	13-8
F12422	17.0	36	16-8
F12452	21.2	45	18-8
F12468	26.5	50	20-8
F12472	31.5	50	22-8
F12482	45.0	56	26-8
F12488	50.0	63	28-8
F12492	67.0	71	32-8
F12498	85.0	80	36-8
F12502	106.0	90	40-8

**Chain Connectors Type
„KWS“ grade 80**

retainer electro galvanized, red



Art. No.	working load (ton)	trade size (mm)
Z07400	1.12	5/6-8
Z07401	2.0	7/8-8
Z07402	3.15	10-8
Z07403	5.3	13-8
Z07404	8.0	16-8

**THI-LOK Connectors
TWN 0829**


Art. No.	working load (ton)	trade size (mm)
F30800	1.12	6-8
F30005	1.5	7-8
F30810	2.0	8-8
F30820	3.15	10-8
F30830	5.3	13-8
F30840	8.0	16-8
F30850	10.0	18-8
F30855	122.5	20-8
F30860	15.0	22-8
F30870	21.2	26-8
F30880	31.5	32-8



Lifting Equipment

Self-Locking Clivis Hooks

TWN 0799, red



Art. No.	working load (ton)	trade size (mm)
Z07279	1.12	6-8
Z07280	2.00	8-8
Z07281	3.15	10-8
Z07282	5.3	13-8
Z07283	8.0	16-8
Z07503	12.5	18/20-8

Sling Hooks

TWN 0835/1

with pin coupling



Art. No.	working load (ton)	trade size (mm)
F33601	1.12	6-8
F33611	2.0	8-8
F33621	3.15	10-8
F33631	5.3	13-8
F33641	8.0	16-8
F33651	10.0	18-8
F33656	12.5	20-8
F33661	15.0	22-8

Swivel Hooks

TWN 0854

with safety latch, red



Art. No.	working load (ton)	trade size (mm)
F32100	1.12	6-8
F32110	2.00	8-8
F32120	3.15	10-8
F32130	5.3	13-8
F32140	8.0	16-8

„SOLIDO“ - Eye Slip Hooks

TWN 0858/1

with safety latch, red



Art. No.	working load (ton)	trade size (mm)
F32901	1.12	6-8
F32911	2.0	8-8
F32921	3.15	10-8
F32931	5.3	13-8
F32941	8.0	16-8
F32951	12.5	18/20-8
F32971	15.0	22-8
F32981	21.2	26-8
F32991	31.5	32-8

Shortening / Grab Hooks

TWN 0827/1

cradle type with pin



Art. No.	working load (ton)	trade size (mm)
F33201	2.0	8-8
F33211	3.15	10-8
F33221	5.3	13-8
F33231	8.0	16-8
F33246	12.5	20-8

Self-Locking Eye Hooks

TWN 0798, red



Art. No.	working load (ton)	trade size (mm)
Z07274	1.12	6-8
Z07275	2.0	7/8-8
Z07276	3.15	10-8
Z07277	5.3	13-8
Z07278	8.0	16-8
Z03344	12.5	18/20-8
Z03329	15.0	22-8

