

Lighting Equipment



Safety Inspection lamp

- the inexpensive quality inspection lamp
- with impact resistant, flexible basket
- with protective glass cover
- delivery without bulbs

Art. No.	cable	length	output	socket	plug
1 17646 0	H05RN-F 2x0,75	5 mtr	60 watt	E 27	Schuko



Rubber Hand Lamp

- the approved, robust inspection lamp
- wire basket with caps
- with protective glass cover
- handle made of high quality hard rubber for comfort when in constant use
- supplied with Schuko plug
- delivery without bulbs

Art. No.	cable	length	output	socket	plug
1 17646 0	H05RN-F 2x0,75	5 mtr	60 watt	E 27	Schuko
1 17651 0	H05RN-F 2x0,75	10 mtr	60 watt	E 27	Schuko



LED Automotive & Workshop Inspection Lamp IP 54

- 54 bright SMD LEDs with extremely long lifespan
- impact and break-proof protective tube with glare protection
- robust, ergonomically formed handle with 6 ribs to stop rolling away

- dust protected and splash proof, IP 54
- sturdy, swivel hook
- built in non replaceable lamp

optional: with built-in li-ion battery 3.7 V/3 Ah, charging time abt. 3,5 hrs, operating hrs abt. 3 hours (incl. 100-240 V AC, 50/60 Hz charger and 12-24V charger for car cigarette lighter)

Art. No.	cable	length	LEDs	colour temp	plug
1 17547 3	H05RN-F 2x1,0	5 mtr	54 SMD	6500 K	BS
1 17547 0	H05RN-F 2x1,0	5 mtr	54 SMD	6500 K	Schuko
1 17548 3	battery	-	54 SMD	6500 K	BS
1 17548 0	battery	-	54 SMD	6500 K	Schuko



Inspection Lamp

- robust and impact-resistant
- ergonomically designed handle
- with electronic ballast in the handle
- hexagonal handle, prevents rolling away
- with large rotating hanging hook
- supplied with Schuko plug
- including lamp
- with or without ON/OFF switch

Art. No.	cable	length	output	plug
1 17711 0	H05RN-F 2x0,75	5 mtr	8 watt	Schuko
1 17723 0 with switch	H05VV-F 2x0,75	5 mtr	8 watt	Schuko



ATEX Ex-Proof Rubber Hand Lamp IPX 5



- robust, handy inspection lamp with ergonomic handle
- hexagonal handle, prevents rolling away
- stable, galvanised wire basket for heavy use
- with protective glass resistant to sudden changes of temperatures glass no. 98 cover and anti-dazzle screen
- **test conformity II2G EExed IIAT3**
- delivery **without** cable and bulb

Art. No.	output	socket
439/GK	max. 60 watt	E 27

LED Torches



LuxPremium Focus-LED-Flashlight TL 100F IP 54

- very handy penlight with high luminosity
- with extremely bright 5W CREE-LED
- durable aluminium housing with clip
- dust protected and splash-proof, IP 54
- versatile and pocket-size
- in blister packing



100 Lumen
5 W CREE-LED

Art. No.	LEDs	luminous flux	light duration
1 17860 0 051	5 W CREE	100 lm	5 h



LuxPremium Focus-LED-Flashlight TL 250F IP 44

- with extra bright 5W CREE-LED for powerful light
- infinitely focus from laminary light to high beam focused light
- switch with soft touch function for 100% - 30% - SOS
- durable aluminium housing with wrist strap
- in blister packing



250 Lumen
CREE-LED

Art. No.	LEDs	luminous flux	light duration
1 17860 0 161	CREE	250 lm	4 h



LuxPrimera Focus LED Torch

- extreme bright LED Torch with new focus-technology
- continuous adjustable from a constant close light to a zooming distance light
- with new extra bright CREE POWER LED
- problem-free adjustable by one-hand operation
- 2 different settings and flashing function
- elegant, robust aluminium housing with wrist strap
- ON / OFF switch with soft-touch-function in „American Style“ at the end
- in blister packing



70 Lumen
1 W CREE-LED

Art. No.	LEDs	luminous flux	light duration	battery type
1 17874 0	1 x 1 W CREE	70 lm	3,5 h	1 x AA (incl.)
1 17875 0	1 x 5 W CREE	150 lm	3,5 h	3 x AAA (incl.)

LED Inspection Light Penlight HL 100 with clip and magnet 107+10lm



- 5 powerful LEDs with up to 6 hours of light ON time
- additional setting provides another LED in the lamp head
- clip with integrated magnet
- ON / OFF switch
- in blister packing, 10 pcs per package



Art. No.	LEDs	luminous flux	colour temp.
1 17599 0 010	5 + 1	107 + 10 lm	7000 k



SMD LED-Universal Lamp HL DB 81 M1H1

- 8 powerful LEDs with up to 4 hours of light ON time with full batteries
- additional setting provides another LED in the lamp head
- clip with integrated magnet turns 200° + 360° hanging hook
- 3 standard batteries AA included
- ON / OFF switch
- in blister packing



Art. No.	LEDs	luminous flux	colour temp.
1 17541 0 010	8 + 1	250 + 100 lm	6500 k

LED Lamps

brennenstuhl®



4 + 3 SMD LED-Universal Lamp HL DB 243 MH

- 4 super bright SMD LEDs on the front
- operation time approx. 6 hours with full batteries
- additional switching step for 3 x LEDs in the lamp head
- plastic handle with integrated magnet, 360° bendable
- 360° swivelled, retractable hanging hook
- with ON / OFF switch
- 3 standard batteries AAA included
- in blister packing

Art. No.	LEDs	luminous flux	colour temp.
1 17542 0 010	4 + 3	200 + 20 lm	6500 k



4 LED Rechargeable Hand Lamp HL DA 40 MH

- 4 super-bright SMD LEDs on the front with up to 3 hours of lighting when fully charged
- ON / OFF switch 100/50 %
- rubber-clad housing
- base foot with integrated magnet
- belt clip and 360° rotatable hook
- USB charging cable included
- in blister packing

Art. No.	LEDs	luminous flux	colour temp.
1 17644 0	4	220 + 100 lm	6000 k



6 + 1 LED Rechargeable Multi-Function Light

- two switching steps: 6 super-bright SMD LEDs on the front, 1 SMD LED in the lamp head
- USB charging port (charging cable included)
- folding base with integrated magnet
- 2 magnets on the back and 2 rotating hooks
- in blister packing



Art. No.	LEDs	luminous Flux	light duration
1 17567 0	6 + 1	300 + 100 lm	3 h / 10 h



4 + 1 LED Rechargeable Clip-on Lamp HL DA 41 MC

- 4 super-bright SMD LEDs on the front with up to 3,5 hours of lighting when fully charged
- Additional 1 CREE LED in the lamp head
- ON / OFF switch
- charging period approx. 3 hours
- clip with integrated magnet can be rotated 90°
- USB charging cable included
- in blister packing

Art. No.	LEDs	luminous Flux	light duration
1 17589 0	4 + 1	200 + 150 lm	3,5 h / 3,5 h



Lighting

LED Outdoor Light OLI 0200

small, variable and high-quality



- highly versatile for use in the house, in the garden, when camping and for outdoor activities
- non-blinding flood light
- switch with 3 different settings (100 - 50%, 10%, SOS)
- mounting options provided by 2 magnets and 2 hooks
- 9 pcs. delivered in an attractive sales box



Art. No.	LEDs	luminous flux	colour temperature	light duration
1 17155 0	12	max. 180 lm	4000 K	4 h / 8 h / 45 h

Rechargeable LED Outdoor Light OLI 0300 A

compact, multifunctional and high-quality



- highly versatile for use in the house, in the garden, when camping and for outdoor activities
- very bright non-blinding light with additional spot, can be combined or used individually
- all lighting functions can be smoothly dimmed from 100 to 5%
- additional SOS and flashing function
- integrated Li-Pol rechargeable battery 3.7 V/3.0 Ah with charging indicator and integrated USB charging cable
- powerbank function: USB charging port for devices with USB charging cables such as smart phones, MP3 players, GPT, etc.
- mounting options provided by 2 magnets and 2 hooks



Art. No.	LEDs	luminous flux	colour temperature	light duration
1 17154 0	12+1 CREE	max. 180 lm	4000 K	4 h / 8 h / 45 h

Rechargeable LED Hand Lamp SANSA 400 A

extremely slim lamp for tight spaces



- 12 super-bright SMD LEDs at front
- additional switching stage for a SMD-LED light in the head
- continuous dimming function 0 to 100% for particularly long lighting duration
- charging time about 3 hours
- rubber-clad housing
- bendable and rotatable lamp head, foldable to pocket format
- 2 magnets at the back, one in the holding foot and fold-out hook for flexible use
- integrated li-ion accumulator 3.7 V/2.0 Ah with charging indicator
- USB charging interface, including USB charging cable



Art. No.	LEDs	luminous flux	colour temperature	light duration
1 17737 0	12+1 LED	front: 400 lm spot: 70 lm	6000 K	3,5 h (100%) / 80 h (10%)

LED Lamps and Walkie Talkies



Rechargeable LED Work Light RUFUS, Workshop Light Outdoor

rechargeable work lamp for use indoors and outdoors, IP 65

- bright light, all the time even in areas without an electrical connection
- with integrated overcharge and total discharge protection and battery charging indicator
- with ON / OFF switch
- casing made of die-cast aluminium, edge protection made of high-quality plastic
- shockproof and drop-proof up to 3 m high, with edge protection
- stable, multi-stage, folding frame
- with a robust matching bag for safe transport
- USB charging cable included
- with power bank function for comfortable charging of e.g. Smartphones (charging connection type C)

6500 K



Art. No.	luminous flux	light duration
1 17310 0 100	max. 1.500 lm	3 h (100%) / 6 h (50%)
1 17311 0 100	max. 3.000 lm	5 h (100%) / 6 h (50%)



Rechargeable LED Work Light PF 1000 MA / LED Pocket Lamp outdoor (Camping Light)

rechargeable work lamp for use indoors and outdoors, IP 65

- Extremely compact LED work light IP65 (dustproof and jet water protected)
- with fold-out bracket for setting up or convenient mounting on tripods from Brennenstuhl



Art. No.	luminous flux	light duration
1 17309 0 100	max. 1.000 lm	up to 13 h



PMR Walkie-Talkie TRX 3500

- communication up to a distance of 5km
- easy to use, small, handy and robust
- LC display with background lighting
- eight channels with automatic channel search
- four ring tones
- socket for headphone / microphone
- battery monitoring
- 8 AA batteries required per set (*not included*)

• in blister packing

Art. No.
1290940





Head Lamps and LED-Lamps



LuxPremium LED-Head Light

KL 100 IP 44

Ultra light weight for comfort



- 3 watt extra bright LED for powerful light
- robust and ultra light housing
- 3 switching levels and SOS function
- adjustable focus angle
- 2 standard batteries AA included
- in blister packing

Art. No.	LEDs	luminous flux	headlight range
1 17876 0	Toshiba-LED	100	40 mtr.

LuxPremium LED-Head Light

KL 200F IP 44

Ultra light weight for comfort



- extra bright LED for powerful light
- front and rear lights
- robust and ultra light housing
- 4 switching levels and SOS function
- adjustable focus angle
- 3 standard batteries AA included

Art. No.	LEDs	luminous flux	headlight range
1 17878 0	CREE	200 lm	100 mtr.



LuxPremium rechargeable

LED-Head Light KL 250



- extremely bright CREE LED at front with up to 30 h lightening duration
- 4 switching levels and SOS function
- rear light red/red flash functions
- adjustable focus angle
- exchangeable lithium-ion battery 3.7V/2,6Ah with charging indicator
- charging time 4 hours
- USB-cable included

Art. No.	LEDs	luminous flux	light duration	headlight range
1 17730 0	CREE	250 lm	5 h (100%) / 10 h(50%) 30 h(10%)	100 mtr.



LED-Workshop lamp / Garage Work Light 12 SMD-LED

- LED worklight with 12 super bright SMD LED's with three lighting modes
- LED flashlight with integrated Li-Ion battery (3.7V/2.2 Ah) with charge indicator, including USB charging cable
- LED garage work light with integrated magnet in the base and stable rotating hook for fastening
- Rechargeable workshop light with ergonomic rubber handle and break-proof protective shell, ideal for use in workshop or garage

Art. No.	LEDs	luminous flux	light duration
1 17558 0	12 SMD	520 lm	Up to 24h



LED Inspection lamp PL 200 A / Inspection Light with COB LED

- LED worklight with 200 lumens and a light duration of 12 h with 5 different lighting modes
- Handy, robust and flexible workshop lamp with on/off switch for powerful light in dark places thanks to high-quality COB LED
- The inspection light with COB LED and USB port can be attached to bags or belts thanks to practical clip, and can also be attached to metal surfaces thanks to magnet

Art. No.	LEDs	luminous flux	light duration
1 17558 0		520 lm	Up to 12h

LED Lights & Tripods

Mobile LED Light JARO

for indoor and outdoor use, IP 65

- LED light with ultra-bright SMD LEDs
- solid, modern aluminium housing
- robust steel tubular frame with protective plastic edges and ergonomically shaped plastic handle
- with safety glass



Art. No.	cable	length	power	luminous flux	lamp efficacy	plug
1 17125 3 233	H07RN-F 3G1,0	2 mtr	20 W	1870 lm	95 lm/W	BS
1 17125 3 343	H07RN-F 3G1,0	3 mtr	30 W	2930 lm	95 lm/W	BS
1 17125 3 533	H07RN-F 3G1,0	5 mtr	50 W	4770 lm	98 lm/W	BS
1 17125 3 833	H07RN-F 3G1,0	5 mtr	80 W	7200 lm	91 lm/W	BS



6500 K

Tripod LED Light JARO

for indoor and outdoor use, IP 65

- LED light with ultra-bright SMD LEDs
- spotlight continuously adjustable and lockable
- solid, modern aluminium housing
- with safety glass
- telescope tripod made of stable tubular powder-coated steel
- handy and reliable tube clamping nuts
- with sturdy cable holder



6500 K

Art. No.	cable	length	power	LEDs	luminous flux	lamp efficacy	plug
1 17125 3 334	H07RN-F 3G1,0	5 mtr	30 W	44	2930 lm	95 lm/W	BS
1 17125 3 434	H07RN-F 3G1,0	2.5 mtr	2 x 20 W	2 x 28	2 x 1870 lm	95 lm/W	BS