

Hole Saws



Bi-Metal Hole Saws, 8% HSS-CO

M42 / 4-6 tpi, white

★ STERN



Art. No.	width (mm)	Art. No.	width (mm)	Art. No.	width (mm)	Art. No.	width (mm)	Art. No.	width (mm)
CT 14	14	CT 32	32	CT 52	52	CT 76	76	CT 121	121
CT 16	16	CT 33	33	CT 54	54	CT 79	79	CT 127	127
CT 17	17	CT 35	35	CT 57	57	CT 83	83	CT 133	133
CT 19	19	CT 37	37	CT 58	58	CT 86	86	CT 140	140
CT 20	20	CT 38	38	CT 59	59	CT 89	89	CT 146	146
CT 21	21	CT 40	40	CT 60	60	CT 92	92	CT 152	152
CT 22	22	CT 41	41	CT 63	63	CT 95	95	CT 160	160
CT 23	23	CT 43	43	CT 64	64	CT 98	98	CT 168	168
CT 24	24	CT 44	44	CT 65	65	CT 102	102	CT 177	177
CT 25	25	CT 46	46	CT 67	67	CT 105	105	CT 200	200
CT 27	27	CT 48	48	CT 68	68	CT 108	108	CT 210	210
CT 29	29	CT 50	50	CT 70	70	CT 111	111		
CT 30	30	CT 51	51	CT 73	73	CT 114	114		

Arbors for Hole Saws

Art. No. A1/8,5	14 - 30 mm A1/8,5
Art. No. A2/11	14 - 30 mm A2/11
Art. No. A3/8,5	32 - 210 mm A3/8,5
Art. No. A4/11	32 - 210 mm A4/11

Arbors for Hole Saws

Art. No. A5/11	32 - 210 mm A5/11
Art. No. A7SDS	14 - 30 mm A7 SDS
Art. No. A8SDS	32 - 210 mm A8 SDS



A1/8,5



A2/11



A3/8,5



A4/11



A5/11




A7SDS



A8SDS

Replacement Drills

Art. No.	dia Ø (mm)	length (mm)	suitable for
B1	6,35	83	A1, A2, A3, A4, A5, A7, A8
B2	6,35	105	A10, multicut holesaw with A1, A2, A3, A4, A5, A7, A8



Hand Saws



Baghdad Hand Saws

with wooden rivetted handle,
lacquered

Art. No.	length (mm/inch)	tpi
119/400	400 / 16"	7
119/450	450 / 18"	7



Hand Saws

with closed wooden rivetted handle,
lacquered

Art. No.	length	tpi
612/300	300 / 12"	8
612/350	350 / 14"	8
612/400	400 / 16"	7
612/450	450 / 18"	7
612/500	500 / 20"	7
612/550	550 / 22"	7



Pruning Saws

with wooden handle, thickness of blade 0.7 mm

Art. No.	length	tpi
631/300	300 / 12"	5
631/350	350 / 14"	5
631/400	400 / 16"	5



TCT Hand Saws

with carbide tipped teeth and
closed wooden handle

Art. No.	length	tpi
903/17	700 / 28"	17
903/34	700 / 28"	34





Hand Saws & Fretsaws



Junior Hack Saws

with red beechwood handle, zinc-plated frame
made of 6 mm round steel, fitted with a PUK
universal saw blade


Art. No.	length
305100	290 mm



Metal Bar Saws

black powder coated with beechwood handle,
fitted with a PUK
bi-metal sawblade 300 mm / 24 tpi

Art. No.	length
B31102	510 mm



Fret Saw Frames

extremely solid, made of 13 mm round steel,
black coated with red beechwood handle

Art. No.	length (mm/inch)
490001	345 / 13.8



Fret Saw Blades for wood

- TAIFUN version: packing with yellow cover at both ends
- TORNADO version: packed in plastic foil
- CRAFTA version: packing with light blue cover at both ends



No.	Art. No. TAIFUN double teeth	Art. No. TAIFUN skip teeth	Art. No. TORNADO spiral teeth	Art. No. CRAFTA double teeth	Art. No. CRAFTA skip teeth	Art. No. CRAFTA regular teeth
mixed	501920	511920		601920	611920	621920
2/0	502020	512020	E524016	602020	612020	622020
0	500020	510020	E524010	600020	610020	620020
1	500120	510120	E524011	600120	610120	620120
2	500220	510220	E524012	600220	610220	620220
3	500320	510320	E524013	600320	610320	620320
4	500420	510420	E524014	600420	610420	620420
5	500520	510520	E524015	600520	610520	620520
7	500720	510720		600720	610720	620720
9	500920	510920		600920	610920	620920
11	501120	511120		601120	611120	621120
12		511220			611220	





KISTENMACHER

Hand Hack Saw Blades

KISTENMACHER brand Universal Hand Hack Saw Blades

made of alloyed steel - flexible
single side toothting with wavy setting
suited for steel cutting

10 pcs/bundle - 100 pcs/blue box - 10 boxes/carton



Art. No.	size (mm)	tpi
SF-D08-100	300 x 13 x 0,65	18
SF-D10-100	300 x 13 x 0,65	24
SF-D12-100	300 x 13 x 0,65	32



KISTENMACHER brand HSS-BI Metal Hand Hack Saw Blades

made of super-alloyed high speed steel - super flexible
single sided toothting with wavy setting
suited for steel cutting

10 pcs/bundle - 100 pcs/orange box - 10 boxes/carton



Art. No.	size (mm)	tpi
HSSM2-D08-100	300 x 13 x 0,65	18
HSSM2-D10-100	300 x 13 x 0,65	24
HSSM2-D12-100	300 x 13 x 0,65	32



GLOBUS brand Hand Hack Saw Blades

carbon steel, single side or double side toothting

RAMb: 72 pcs/cartonbox - 20 cartonboxes in wooden case
RAMc: 144 pcs/cartonbox - 20 cartonboxes in wooden case



Art. No.	size (mm)	tpi	toothting
RAMb	300 x 25.0 x 0.6	24	double side
RAMc	300 x 12.5 x 0.6	24	single side



G-MAN brand Hand Hack Saw Blades

single sided toothting suited for carbon steel

10 pcs/bundle - 100 pcs/grey box - 10 boxes/carton



Art. No.	size (mm)	tpi
3040-3024GM	300 x 12,5 x 0,60	24



Other sizes and tpi available upon request



Hand Saws and Bow Saw Blades

G-MAN brand HSS flexible Hack Saw Blades single sided tooththing

10 pcs/bundle - 100 pcs/grey box - 10 boxes/carton




Art. No.	size (mm)	tpi
3042-3042GM	300 x 12,5 x 0,65	24



G-MAN brand BI-metal Hack Saw Blades single sided tooththing

10 pcs/bundle - 100 pcs/grey box - 10 boxes/carton



Art. No.	size (mm)	tpi
3003-3018GM	300 x 12,5 x 0,60	18
3003-3024GM	300 x 12,5 x 0,60	24
3003-3032GM	300 x 12,5 x 0,60	32



G-MAN brand Universal Hand Saws Classic U7 with a comfortable plastic handle with 3 screws, supplied in hard point finish



Art. No.	size (inch/mm)
328H16U7	16/400
328H18U7	18/450
328H20U7	20/500
328H22U7	22/550
328H24U7	24/600



cutBRIK brand Bow Saws

with yellow steel frame and black quick release,
including saw blades No. 18

Art. No.	size (inch/mm)
15 B18-300	12/300



Art. No.	size (inch/mm)
50 B18-610	24/610
50 B18-762	30/762
50 B18-914	36/914



cutBRIK brand Hack Saws with yellow steel frame and black handle bi-metal blade



Art. No.	size (inch/mm)
16 B18-300	12/300



cutBRIK brand Saw Blades for Bow Saws

200 pcs per box

- a) Ref. 10 for dry wood
b) Ref. 18 for green wood



Art. No.	size (inch/mm)
10 / 18	12/300
10 / 18	18/460
10 / 18	21/533
10 / 18	24/610
10 / 18	30/762



Circular Saw Blades

EDN brand Carbide Tipped Circular Sawblades

- for cutting wood
- for cutting aluminium - negative teeth



WOOD Art. No. 76950...	ALUMINIUM Art. No. 76956...	teeth	size x width (mm)	WOOD Art. No. 76950...	ALUMINIUM Art. No. 76956...	teeth	size x width (mm)	WOOD Art. No. 76950...	ALUMINIUM Art. No. 76956...	teeth	size x width (mm)
150024	150048	24	150 x 3.0	250024	250060	24	250 x 3.2	350120	350120	120	350 x 3.6
150030		30	150 x 3.0	250030		30	250 x 3.2	400048	400072	48	400 x 3.6
150036		36	150 x 3.0	250040		40	250 x 3.2	400060		60	400 x 3.6
150048		48	150 x 3.0	250048		48	250 x 3.2	400072		72	400 x 3.6
160036		36	160 x 2.5	250060		60	250 x 3.2	400084		84	400 x 3.6
160048		48	160 x 2.5	250080		80	250 x 3.2	400096		96	400 x 3.6
180024		24	180 x 3.0	250096		96	250 x 3.2	400108		108	400 x 3.6
180030		30	180 x 3.0	300028	300048	28	300 x 3.2	400120		120	400 x 3.6
180036	200064	36	180 x 3.0	300036		36	300 x 3.2	400132	450096	132	400 x 3.6
180042		42	180 x 3.0	300048		48	300 x 3.2	450066		66	450 x 4.0
180048		48	180 x 3.0	300060		60	300 x 3.2	450072		72	450 x 4.0
180056		56	180 x 3.0	300072		72	300 x 3.2	450084		84	450 x 4.0
200034		34	200 x 3.0	300084		84	300 x 3.2	450096		96	450 x 4.0
200042		42	200 x 3.0	300096		96	300 x 3.2	450108		108	450 x 4.0
200048		48	200 x 3.0	350036	350072	36	350 x 3.6	450120		12	450 x 4.0
200064		64	200 x 3.0	350042		42	350 x 3.6	450132		132	450 x 4.0
230034	230072	34	230 x 3.0	350048		48	350 x 3.6	500072	500120	72	500 x 4.0
230042		42	230 x 3.0	350054		54	350 x 3.6	500096		96	500 x 4.0
230048		48	230 x 3.0	350060		60	350 x 3.6	500120		120	500 x 4.0
230060		60	230 x 3.0	350072		72	350 x 3.6				
230064		64	230 x 3.0	350084		84	350 x 3.6				
230072		72	230 x 3.0	350096		96	350 x 3.6				
230080		80	230 x 3.0	350108		108	350 x 3.6				

Other sizes are available upon request

EDN[®]
euronorm quality


Circular Saw Blades



EDN brand Carbide Tipped Circular Sawblades

Typ 061 VTF

for cutting single- and double-sided
plastic coated panel materials




Art. No.	teeth	size x width (mm)
061 VTF 180048	48	180 x 3.2
061 VTF 200064	64	200 x 3.2
061 VTF 230072	72	230 x 3.2
061 VTF 250080	80	250 x 3.2
061 VTF 300096	96	300 x 3.2
061 VTF 350108	108	350 x 3.5

EDN
euronorm quality

DRESS brand Metal Cutting Circular Sawblades

made of HSS /DMo5 for sawing machines, vaporized



Art. No.	teeth	size x width (mm)
725025G	250	250 x 2,5
730030G	300	300 x 2,5

Other sizes and several bore diameters are available upon request.



Band Saws



Band saws for cutting wood

made of special steel CR-300,
hardened, polished,
toothed NV (A), set-machine sharp

available on rolls of 22, 25 and 50 m

Art. No.	size
120606/R	12 x 0,6 x 6 mm
150606/R	15 x 0,6 x 6 mm
200606/R	20 x 0,6 x 6 mm
200607/R	20 x 0,6 x 7 mm
200608/R	20 x 0,6 x 8 mm
200708/R	20 x 0,7 x 8 mm
250608/R	25 x 0,6 x 8 mm
250708/R	25 x 0,7 x 8 mm
300709/R	30 x 0,7 x 9 mm
300809/R	30 x 0,8 x 9 mm
350810/R	35 x 0,8 x 10 mm
400810/R	40 x 0,8 x 10 mm
400910/R	40 x 0,9 x 10 mm
450811/R	45 x 0,8 x 11 mm
500912/R	50 x 0,9 x 12 mm
601014/R	60 x 1,0 x 14 mm



Remark:

available in set and sharpened or unset versions

