

Torque Wrenches



PADRE brand torque wrench with reversible ratchet-head

1/2", 3/8", 1/2", 3/4", chrome-vanadium steel

- double scale in N-m and lbf-ft divisions for precise adjustment
- actuation accuracy: +/- 3% tolerance of the set scale value
- large vision panel, precise adjustment using a magnifyingglass
- an audible and palpable signal when desired torque value is achieved
- with exact gearing 30-teeth ratchet mechanism
- secure locking function within the handle
- square drive adaptor to DIN 3120 ISO 1174 with ball lock
- two-component handle with a soft zone, is ergonomic in design and comfortable in the hand



Art. No.	drive	Nm	graduation (Nm)	lbf.ft	length (mm)	weight (grs)
1965	1/4"	2 - 25	0,1	1,5 - 18	289	460
1966	3/8"	5 - 50	0,25	3,5 - 37	350	610
1967	1/2"	10 - 100	0,5	8 - 75	412	910
1968	1/2"	20 - 200	1	10 - 150	500	1300
1969	1/2"	60 - 300	1	45 - 220	585	1450
1971	3/4"	100 - 600	1	75 - 440	960	3800
1972	3/4"	150 - 800	10	110 - 960	1250	4800
1973	3/4"	200 - 1000	30	150 - 740	1500	5800

PADRE brand torque wrench adaptor

Art. No.	size
909	1/4" to 3/8"
926	3/8" to 1/2"
962	1/2" to 3/4"
997	3/4" to 1"



Rim Wrenches



Single Ended Wheel Nut Wrenches

for trucks, special tool steel, silver lacquered



Art. No.	size	length
72 3112 019	19 mm	265 mm
72 3112 022	22 mm	360 mm
72 3112 024	24 mm	360 mm
72 3112 027	27 mm	400 mm
72 3112 030	30 mm	400 mm
72 3112 032	32 mm	400 mm
72 3112 033	33 mm	400 mm
72 3112 036	36 mm	400 mm

Double Ended Wheel Nut Wrenches

for trucks, special tool steel, silver lacquered
length 400 mm



a) 6-point on both sides



Art. No.	size
70 5000 002	24 x 27 mm
70 5700 002	27 x 30 mm
70 5500 002	27 x 33 mm
70 5800 002	30 x 32 mm
70 5900 002	30 x 33 mm
70 9590 002	32 x 33 mm



b) 6-point / 6-point + 4-point / square drive (13/16")



Art. No.	size
70 3210 002	38 x 32 mm
70 3300 002	1.1/16 x 1.1/4"
70 3310 002	27 x 32 mm
70 3400 002	1.1/8 x 1.1/8"
70 3100 002	1.1/8" x 1.1/2"
70 3200 002	1.1/4" x 1.1/2"



c) 4-point / 6-point




Art. No.	size
70 1307 002	17 x 32 mm
70 1306 002	17 x 35 mm
70 1304 002	21 x 38 mm
70 1302 002	21 x 41 mm



Cross Wheel Wrenches

made from special tool steel, silver lacquered



a) for trucks

Art. No.: 70 2000 000

24 x 27 x 38 x 32 mm (13/16")
15/16 x 1.1/16 x 1.1/2 x 1.1/4" (13/16")

b) for trucks

Art. No.: 72 2000 000

19 x 22 x 24 x 27 mm
3/4 x 7/8 x 15/16 x 1.1/16"

c) for cars

Art. No.: 70 0150 800

17 x 19 x 22 mm x 1/2"

d) for cars

Art. No.: 70 0100 000

17 x 19 x 22 mm x 13/16" (outside 4-point/square)



Tommy Bars

fully hardened, 18 x 500 mm, silver lacquered

Art. No.: 70 3010 102





Strap & Filter Wrenches, Piston Ring Compressors



Strap Wrenches

bright nickel plated,
with plastic coated handle,
with non-slip textile strap

Art. No.	length (mm)	capacity (mm)
0740-0741	230	160
0740-0742	230	240



Replacement straps for 160 mm cap.
Replacement straps for 240 mm cap.

Art. No. 0740-0743
Art. No. 0740-0744

Strap Wrenches

chromium-plated with forged handle,
made of chrome-vanadium-steel,
with non-slip textile strap

Art. No.	length (mm)	capacity (mm)
0740-0745	280	280




Replacement straps for 280 mm cap.

Art. No. 0740-0746

Piston Ring Compressors

with infinitely variable regulation,
special spring steel, tightening
strap blue

Art. No.	length (mm)	capacity (mm)
0700-0701	80	57-125
0700-0711	100	57-125
0700-0702	80	90-175
0700-0721	100	90-175
0700-0703	165	90-175

**BOLLMANN** | GRIP

Filter Wrenches & Valve Spring Compressors



Filter Wrenches

bright nickel plated
with plastic coated handle



Art. No.	length (mm)	capacity (mm)
0760-0763	220	60-80
0760-0764	240	75-110

Filter Wrenches

bright nickel plated
with 1/2" square drive



Art. No.	length (mm)	capacity (mm)
0760-0761	130	60-80
0760-0762	150	75-110

Filter Wrenches

bright nickel plated
with plastic coated handle



Art. No.	length (mm)	capacity (mm)
0760-0773	210	60-80
0760-0774	230	75-110

Filter Wrenches

bright nickel plated
with 1/2" square drive




Art. No.	length (mm)	capacity (mm)
0760-0771	140	65-80
0760-0772	160	75-110

Piston Ring Pliers

bright nickel plated, for
removal and fitting of piston
rings

Art. No.	length (mm)	capacity (mm)
0600-0601	200	50-100
0600-0602	240	90-150




Valve Spring Compressors

bright nickel plated, for light vehicle engines

Art. No.	length (mm)	capacity (mm)	version
0500-0500	290	70-225	straight jaws

Replacement jaws, straight, pair

Art. No. 0500-0511



BOLLMANN | GRIP

Hexagon Key Wrenches - ergonomic T-Handle



Hexagon Key Wrenches - ergonomic T-handle

blade chrome vanadium steel - nickel plated

Art. No.	Ø mm	length of blade (mm)	total length (mm)
220-220-02	2	200	225
220-252-02	2,5	200	225
220-315-02	3	150	175
220-320-02	3	200	225
220-415-02	4	150	175
220-420-02	4	200	225
220-515-02	5	150	182
220-520-02	5	200	232
220-615-02	6	150	182
220-620-02	6	200	232
220-720-02	7	200	232
220-815-02	8	150	182
220-820-02	8	200	232
220-102-02	10	200	239
220-122-02	12	200	239
220-143-02	14	300	339
Art. No.	Ø inch	length of blade (mm)	total length (mm)
220-564-52	5/64	100	125
220-332-52	3/32	100	125
220-180-52	1/8	150	175
220-532-52	5/32	150	175
220-316-52	3/16	150	182
220-140-52	1/4	150	182
220-516-52	5/16	150	182
220-380-52	3/8	200	239



Hexagon Key Wrench Set - ergonomic T-handle with use of either end (2C)

blade chrome vanadium steel


Art. No.	Ø mm	length of blade (mm)	total length (mm)
226-020-07	2	125	151
226-025-07	2,5	125	151
226-030-07	3	125	151
226-040-07	4	125	151
226-050-07	5	150	184
226-060-07	6	150	184
226-080-07	8	175	218
226-100-07	10	175	218



T-Line Wrenches


T-Line, hexagon wrench, ball point, chrome vanadium steel with multicomponent handle, with

Art. No.	size	PU
54720	SW 2.0 x 100	12
54721	SW 2.5 x 100	12
54722	SW 3.0 x 100	12
54723	SW 4.0 x 150	12
54724	SW 5.0 x 150	12
54725	SW 6.0 x 200	12
54726	SW 8.0 x 200	12
54727	SW 10.0 x 200	12




T-Line, hexagonal wrench, chrome vanadium steel with multicomponent handle, with side drive

Art. No.	size	PU
54730	SW 2.0 x 100	12
54731	SW 2.5 x 100	12
54732	SW 3.0 x 100	12
54733	SW 4.0 x 150	12
54734	SW 5.0 x 150	12
54735	SW 6.0 x 200	12
54736	SW 8.0 x 200	12
54737	SW 10.0 x 200	12



T-Line, torx wrench, chrome vanadium steel with multicomponent handle, with side drive

Art. No.	size	PU	Art. No.	size	PU
54960	T 9 x 100	12	54973	T 10 x 200	12
54961	T 10 x 100	12	54974	T 15 x 200	12
54962	T 15 x 100	12	54975	T 20 x 200	12
54963	T 20 x 100	12	54976	T 25 x 200	12
54964	T 25 x 100	12	54977	T 27 x 200	12
54965	T 27 x 150	12	54978	T 30 x 200	12
54966	T 30 x 150	12	54970	T 40 x 200	12
54967	T 40 x 150	12	54971	T 45 x 250	12
54968	T 45 x 150	12	54972	T 50 x 250	12
54969	T 50 x 150	12			



T-Line, socket wrench, chrome vanadium steel with multicomponent handle

Art. No.	size	PU	Art. No.	size	PU
54900	SW 5.5 x 125	12	54920	SW 7.0 x 350	12
54901	SW 6.0 x 125	12	54921	SW 8.0 x 350	12
54902	SW 7.0 x 125	12	54922	SW 9.0 x 350	12
54903	SW 8.0 x 125	12	54923	SW 10.0 x 350	12
54904	SW 9.0 x 125	12	54924	SW 11.0 x 350	12
54905	SW 10.0 x 125	12	54925	SW 12.0 x 350	12
54906	SW 11.0 x 125	12	54926	SW 13.0 x 350	12
54907	SW 12.0 x 125	12	54927	SW 14.0 x 350	12
54908	SW 13.0 x 125	12	54928	SW 17.0 x 350	12
54909	SW 14.0 x 125	12			
54917	SW 17.0 x 125	12			

